

Publications from employees of eXcorLab GmbH:

2017/2018

- Piatek T, Giebultowicz J, **Rüth M, Lemke HD**, Bonn F, Wroczynski P, Hrenczuk M, Malkowski P, Rozga J. Albumin Apheresis for Artificial Liver Support: In Vitro Testing of a Novel Filter. Ther Apher Dial. 2018 May 16. PubMed PMID: 29768707.
- Trautmann A; **Rüth M, Lemke HD.**, Walther T., Hellmann R. Two-photon polymerization based large scaffolds for adhesion and proliferation studies of human primary fibroblasts. Optics and Laser Technology, Volume 106, 2018, 474–480
- **Krieter DH**, Lange F, **Lemke HD**, Bonn F, Wanner C. Characterization of Fractionation Membranes in an Animal Model of Double Filtration Lipoprotein Apheresis. Ther Apher Dial. 2018 Jan 9. PMID:29316258
- Leyboldt JK, Storr M, Agar BU, Boschetti-de-Fierro A, Bernardo AA, Kirsch AH, Rosenkranz AR, **Krieter DH**, Krause B. Intradialytic kinetics of middle molecules during hemodialysis and hemodiafiltration. Nephrol Dial Transplant. 2018 Oct 10. PMID: 30307514.
- Kirsch AH, Rosenkranz AR, Lyko R, **Krieter DH**. Effects of Hemodialysis Therapy Using Dialyzers with Medium Cut-Off Membranes on Middle Molecules. Contrib Nephrol. 2017;191:158-167. doi: 10.1159/000479264. Epub 2017 Sep 14. PMID: 28910799.
- **Krieter DH, Devine E**, Körner T, **Rüth M**, Wanner C, Raine M, Jankowski J, **Lemke HD**. Haemodiafiltration at increased plasma ionic strength for improved protein-bound toxin removal. Acta Physiol (Oxf). 2017 Feb;219(2):510-520. PMID: 27259463

2016

- Kirsch AH, Lyko R, Nilsson LG, Beck W, Amdahl M, Lechner P, Schneider A, Wanner C, Rosenkranz AR, **Krieter DH**. Performance of hemodialysis with novel medium cut-off dialyzers. Nephrol Dial Transplant. 2016 Sep 1. pii: gfw310.PubMed PMID: 27587605
- Hessler S, **Rüth M, Sauvant C, Lemke HD**, Schmauss B, Hellmann R. Hemocompatibility of EpoCore/EpoClad photoresists on COC substrate for optofluidic integrated Bragg sensors. Sensors and Actuators 2016.B 239, 916-922
- Chevtchik NV, Fedecostante M, Jansen J, Mihajlovic M, Wilmer M, **Rüth M**, Masereeuw R, Stamatialis D. Upscaling of a living membrane for bioartificial kidney device. Eur J Pharmacol. 2016 Jul 6. pii: S0014-2999(16)30439-3
- Kumar RK, Basu S, **Lemke HD**, Jankowski J, Kratz K, Lendlein A, Tetali SD. Influence of nanoporous poly(ether imide) particle extracts on human aortic endothelial cells (HAECs). Clin Hemorheol Microcirc. 2016;64(4):931-940.
- Kumar RK, Basu S, **Lemke HD**, Jankowski J, Kratz K, Lendlein A, Tetali SD. Effect of extracts of poly(ether imide) microparticles on cytotoxicity, ROS generation and proinflammatory effects on human monocytic (THP-1) cells. Clin Hemorheol Microcirc. 2016;61(4):667-80. doi: 10.3233/CH-152027. PubMed PMID:26639770.

2015

- **Rüth M, Lemke HD**, Preisinger C, **Krieter DH**, Theelen W, Gajjala P, Devine E, Zidek W, Jankowski J, Jankowski V.
Guanidinylation of albumin decreased binding capacity of hydrophobic metabolites.
Acta Physiol (Oxf). 2015 Sep;215(1):13-23. doi: 10.1111/apha.12518. Epub 2015 May 19. PMID: 25939450
- **Krieter DH**, Fink S, Dorsch O, Harenberg J, Melzer N, Wanner C, **Lemke HD**.
Pharmacokinetics of Certoparin During In Vitro and In Vivo Dialysis.
Artif Organs. 2015 Apr 20. doi: 10.1111/aor.12475. PMID: 25900127

2014

- Desjardins L, Liabeuf S, Oliveira RB, Louvet L, Kamel S, **Lemke HD**, Vanholder R, Choukroun G, Massy ZA; European Uremic Toxin (EUTox) Work Group.
Uremic toxicity and sclerostin in chronic kidney disease patients.
Nephrol Ther. 2014 Nov;10(6):463-70. doi: 10.1016/j.nephro.2014.04.002. Epub 2014 Jul 26. PMID: 25070604
- Devine E, **Krieter DH**, **Rüth M**, Jankowski J, **Lemke HD**.
Binding affinity and capacity for the uremic toxin indoxyl sulfate.
Toxins (Basel). 2014 Jan 24;6(2):416-29. doi: 10.3390/toxins6020416. PubMed PMID: 24469432; PubMed Central PMCID: PMC3942743.
- **Krieter DH**, Devine E, Wanner C, Storr M, Krause B, **Lemke HD**.
Clearance of Drugs for Multiple Myeloma Therapy During In Vitro High-Cutoff Hemodialysis.
Artif Organs. 2014 Jan 7. doi: 10.1111/aor.12248. PubMed PMID: 24392952.

2013

- Desjardins L, Liabeuf S, Lenglet A, **Lemke HD**, Vanholder R, Choukroun G, Massy ZA; European Uremic Toxin (EUTox) Work Group.
Association between free light chain levels, and disease progression and mortality in chronic kidney disease.
Toxins (Basel). 2013 Nov 8;5(11):2058-73. doi: 10.3390/toxins5112058. PubMed PMID: 24217396; PubMed Central PMCID: PMC3847714.
- **Krieter DH**, Canaud B, **Lemke HD**, Rodriguez A, Morgenroth A, von Appen K, Dragoun GP, Wanner C.
Bisphenol A in chronic kidney disease.
Artif Organs. 2013 Mar;37(3):283-90. doi: 10.1111/j.1525-1594.2012.01556.x. Epub 2012 Nov 12. PubMed PMID: 23145999.
- Janke D, Jankowski J, **Rüth M**, Buschmann I, **Lemke HD**, Jacobi D, Knaus P, **Spindler E**, Zidek W, Lehmann K, Jankowski V.
The "artificial artery" as in vitro perfusion model.
PLoS One. 2013;8(3):e57227. doi: 10.1371/journal.pone.0057227. Epub 2013 Mar 7. PubMed PMID: 23505419; PubMed Central PMCID: PMC3591414.

2012

- Schneider A, Drechsler C, Krane V, **Krieter DH**, Scharnagl H, Schneider MP, Wanner C; MINOXIS Study Investigators.
The effect of high-flux hemodialysis on hemoglobin concentrations in patients with CKD: results of the MINOXIS study.
Clin J Am Soc Nephrol. 2012 Jan;7(1):52-9. doi: 10.2215/CJN.02710311. Epub 2011 Nov 17. PubMed PMID: 22096040;
- Liabeuf S, Lenglet A, Desjardins L, Neiryck N, Glorieux G, **Lemke HD**, Vanholder R, Diouf M, Choukroun G, Massy ZA; European Uremic Toxin Work Group (EUTox).
Plasma beta-2 microglobulin is associated with cardiovascular disease in uremic patients.
Kidney Int. 2012 Dec;82(12):1297-303. doi: 10.1038/ki.2012.301. Epub 2012 Aug 15. PubMed PMID: 22895515.

- Lenglet A, Liabeuf S, Desjardins L, Neiryck N, Glorieux G, **Lemke HD**, Vanholder R, Brazier M, Choukroun G, Massy ZA; European Uremic Toxin Work Group-EUTox.
Prognostic implications of plasma myoglobin levels in patients with chronic kidney disease.
Int J Artif Organs. 2012 Nov;35(11):959-68. doi: 10.5301/ijao.5000124. PubMed PMID: 23065877.
- Desjardins L, Liabeuf S, Renard C, Lenglet A, **Lemke HD**, Choukroun G, Druke TB, Massy ZA; European Uremic Toxin (EUTox) Work Group.
FGF23 is independently associated with vascular calcification but not bone mineral density in patients at various CKD stages.
Osteoporos Int. 2012 Jul;23(7):2017-25. doi: 10.1007/s00198-011-1838-0. Epub 2011 Nov 23. PubMed PMID: 22109743.
- Dorsch O, **Krieter DH**, **Lemke HD**, Fischer S, Melzer N, Sieder C, Bramlage P, Harenberg J.
A multi-center, prospective, open-label, 8-week study of certoparin for anticoagulation during maintenance hemodialysis--the membrane study.
BMC Nephrol. 2012 Jun 28;13:50. doi: 10.1186/1471-2369-13-50. PubMed PMID: 22742742; PubMed Central PMCID: PMC3508880.
- Neiryck N, Eloot S, Glorieux G, Barreto DV, Barreto FC, Liabeuf S, Lenglet A, **Lemke HD**, Massy ZA, Vanholder R.
Estimated glomerular filtration rate is a poor predictor of the concentration of middle molecular weight uremic solutes in chronic kidney disease.
PLoS One. 2012;7(8):e44201. doi: 10.1371/journal.pone.0044201. Epub 2012 Aug 31. PubMed PMID: 22952928; PubMed Central PMCID: PMC3432070.

2011

- Meert N, Eloot S, Schepers E, **Lemke HD**, Dhondt A, Glorieux G, Van Landschoot M, Waterloos MA, Vanholder R.
Comparison of removal capacity of two consecutive generations of high-flux dialysers during different treatment modalities.
Nephrol Dial Transplant. 2011 Aug;26(8):2624-30. doi: 10.1093/ndt/gfq803. Epub 2011 Feb 10. PubMed PMID: 21310741.
- Terrier-Lenglet A, Nollet A, Liabeuf S, Barreto DV, Brazier M, **Lemke HD**, Vanholder R, Choukroun G, Massy ZA; Groupe EUTox (European Uremic toxin).
Plasma malondialdehyde may not predict mortality in patient with chronic kidney disease.
Nephrol Ther. 2011 Jul;7(4):219-24. doi: 10.1016/j.nephro.2010.12.009. Epub 2011 Feb 11. French. PubMed PMID: 21316322.
- Schiffer E, Liabeuf S, Lacroix C, Temmar M, Renard C, Monsarrat B, Choukroun G, **Lemke HD**, Vanholder R, Mischak H, Massy ZA; European Uremic Toxin Work Group (EUTox).
Markers of vascular disease in plasma from patients with chronic kidney disease identified by proteomic analysis.
J Hypertens. 2011 Apr;29(4):783-90. doi: 10.1097/HJH.0b013e3283441129. PubMed PMID: 21358419.
- **Krieter DH**, **Lemke HD**.
Polyethersulfone as a high-performance membrane.
Contrib Nephrol. 2011;173:130-6. doi: 10.1159/000329051. Epub 2011 Aug 8. Review. PubMed PMID: 21865785.

2001-2010

- **Krieter DH**, Fischer R, Merget K, **Lemke HD**, Morgenroth A, Canaud B, Wanner C.
Endothelial progenitor cells in patients on extracorporeal maintenance dialysis therapy. Nephrol Dial Transplant.
2010 Dec;25(12):4023-31. doi: 10.1093/ndt/gfq552. Epub 2010 Oct 27. PubMed PMID: 20980359.
- Barreto DV, Barreto FC, Liabeuf S, Temmar M, **Lemke HD**, Tribouilloy C, Choukroun G, Vanholder R, Massy ZA; European Uremic Toxin Work Group (EUTox).
Plasma interleukin-6 is independently associated with mortality in both hemodialysis and pre-dialysis patients with chronic kidney disease.
Kidney Int. 2010 Mar;77(6):550-6. doi: 10.1038/ki.2009.503. Epub 2009 Dec 16. PubMed PMID: 20016471.

- **Krieter DH**, Hackl A, Rodriguez A, Chenine L, Moragues HL, **Lemke HD**, Wanner C, Canaud B. Protein-bound uraemic toxin removal in haemodialysis and post-dilution haemodiafiltration. Nephrol Dial Transplant. 2010 Jan;25(1):212-8. doi: 10.1093/ndt/gfp437. Epub 2009 Sep 15. PubMed PMID: 19755476.
- **Sauvant C**, Schneider R, Holzinger H, Renker S, Wanner C, Gekle M. Indomethacin corrects alterations associated with ischemia/reperfusion in an in vitro proximal tubular model. Am J Nephrol. 2010;32(1):57-65. doi: 10.1159/000313452. Epub 2010 Jun 7. PubMed PMID: 20523036.
- Glorieux G, Schepers E, Schindler R, **Lemke HD**, Verbeke F, Dhondt A, Lameire N, Vanholder R. A novel bio-assay increases the detection yield of microbiological impurity of dialysis fluid, in comparison to the LAL-test. Nephrol Dial Transplant. 2009 Feb;24(2):548-54. doi: 10.1093/ndt/gfn485. Epub 2008 Sep 3. PubMed PMID: 18768583.
- **Krieter DH**, Hunn E, Morgenroth A, **Lemke HD**, Wanner C. Matching efficacy of online hemodiafiltration in simple hemodialysis mode. Artif Organs. 2008 Dec;32(12):903-9. doi: 10.1111/j.1525-1594.2008.00652.x. PubMed PMID: 19133017.
- **Krieter DH**, Canaud B. New strategies in haemodiafiltration (HDF)--prospective comparative analysis between online mixed HDF and mid-dilution HDF. Nephrol Dial Transplant. 2008 Apr;23(4):1465-6; author reply 1466. Epub 2007 Sep 19. PubMed PMID: 17881427.
- **Krieter DH**, **Lemke HD**, Wanner C. A new synthetic dialyzer with advanced permselectivity for enhanced low-molecular weight protein removal. Artif Organs. 2008 Jul;32(7):547-54. doi: 10.1111/j.1525-1594.2008.00583.x. PubMed PMID: 18638309.
- **Krieter DH**, Morgenroth A, Barasinski A, **Lemke HD**, Schuster O, von Harten B, Wanner C. Effects of a polyelectrolyte additive on the selective dialysis membrane permeability for low-molecular-weight proteins. Nephrol Dial Transplant. 2007 Feb;22(2):491-9. Epub 2006 Oct 18. PubMed PMID: 17050637.
- Krane V, **Krieter DH**, Olschewski M, März W, Mann JF, Ritz E, Wanner C. Dialyzer membrane characteristics and outcome of patients with type 2 diabetes on maintenance hemodialysis. Am J Kidney Dis. 2007 Feb;49(2):267-75. PubMed PMID: 17261429.
- Canaud B, Morena M, Cristol JP, **Krieter DH**. Beta2-microglobulin, a uremic toxin with a double meaning. Kidney Int. 2006 Apr;69(8):1297-9. PubMed PMID: 16612412.
- **Krieter DH**, **Lemke HD**, Wanner C. Myeloperoxidase serves as a marker of oxidative stress during single haemodialysis session using two different biocompatible dialysis membranes. Nephrol Dial Transplant. 2006 Feb;21(2):546;_author reply 546. Epub 2005 Oct 25. PubMed PMID: 16249195.
- **Krieter DH**, **Lemke HD**, Canaud B, Wanner C. Beta(2)-microglobulin removal by extracorporeal renal replacement therapies. Biochim Biophys Acta. 2005 Nov;1753(1):146-53. Epub 2005 Aug 26. Review. PubMed PMID: 16154809.
- **Krieter DH**, Steinke J, Kerkhoff M, Fink E, **Lemke HD**, Zingler C, Müller GA, Schuff-Werner P. Contact activation in low-density lipoprotein apheresis systems. Artif Organs. 2005 Jan;29(1):47-52. PubMed PMID: 15644083.
- **Krieter DH**, Falkenhain S, Chalabi L, Collins G, **Lemke HD**, Canaud B. Clinical cross-over comparison of mid-dilution hemodiafiltration using a novel dialyzer concept and post-dilution hemodiafiltration. Kidney Int. 2005 Jan;67(1):349-56. PubMed PMID: 15610261.
- **Krieter DH**, Collins G, Summerton J, Spence E, Moragues HL, Canaud B. Mid-dilution on-line haemodiafiltration in a standard dialyser configuration.

Nephrol Dial Transplant. 2005 Jan;20(1):155-60. Epub 2004 Nov 2. PubMed PMID: 15522903.

- de Kreuk AM, Zevenbergen A, Jonuleit T, Schuurhuis GJ, Huijgens PC, Hendriks EC, van Oostveen JW, **Lemke HD**, Jonkhoff AR.
Preservation of G-CSF mobilized whole blood in an automated closed hollow-fiber bioreactor system.
Cytotherapy. 2004;6(4):380-4. PubMed PMID: 16146891.
- Canaud B, Lévesque R, **Krieter DH**, Desmeules S, Chalabi L, Moragués H, Morena M, Cristol JP.
On-line hemodiafiltration as routine treatment of end-stage renal failure: why pre- or mixed dilution mode is necessary in on-line hemodiafiltration today?
Blood Purif. 2004;22 Suppl 2:40-8. Review. PubMed PMID: 15655323.
- Samtleben W, Dengler C, Reinhardt B, Nothdurft A, **Lemke HD**.
Comparison of the new polyethersulfone high-flux membrane DIAPES HF800 with conventional high-flux membranes during on-line haemodiafiltration.
Nephrol Dial Transplant. 2003 Nov;18(11):2382-6. PubMed PMID: 14551370.
- Vanholder R, De Smet R, Glorieux G, Argilés A, Baurmeister U, Brunet P, Clark W, Cohen G, De Deyn PP, Deppisch R, Descamps-Latscha B, Henle T, Jörres A, **Lemke HD**, Massy ZA, Passlick-Deetjen J, Rodriguez M, Stegmayr B, Stenvinkel P, Tetta C, Wanner C, Zidek W; European Uremic Toxin Work Group (EUTox).
Review on uremic toxins: classification, concentration, and interindividual variability.
Kidney Int. 2003 May;63(5):1934-43. Review. PubMed PMID: 12675874.
- **Krieter DH**, Canaud B.
High permeability of dialysis membranes: what is the limit of albumin loss?
Nephrol Dial Transplant. 2003 Apr;18(4):651-4. PubMed PMID: 12637630.
- Senécal L, **Krieter DH**, Moragues HL, Martin K, Canaud B.
High-flux on-line hemodiafiltration with polyethersulfone membranes: performances in hemodiafiltration and impact of glucose administration.
Contrib Nephrol. 2003;(138):88-98. PubMed PMID: 12463150.
- Tetta C, **Lemke HD**.
Pyrogen permeability in aqueous conditions.
Artif Organs. 2002 Dec;26(12):1063. PubMed PMID: 12460387.
- **Krieter DH**, Canaud B.
Dialysis membranes today.
Int J Artif Organs. 2002 Aug;25(8):816. PubMed PMID: 12296468.
- Morena M, Cristol JP, Senécal L, Leray-Moragues H, **Krieter DH**, Canaud B.
Oxidative stress in hemodialysis patients: is NADPH oxidase complex the culprit?
Kidney Int Suppl. 2002 May;(80):109-14. Review. PubMed PMID: 11982824.
- **Krieter DH**, Canaud B.
Anaphylactic reaction during haemodialysis on AN69 membrane in a patient receiving angiotensin II receptor antagonist.
Nephrol Dial Transplant. 2002 May;17(5):943-4. PubMed PMID: 11981096.
- Lonnemann G, Sereni L, **Lemke HD**, Tetta C.
Pyrogen retention by highly permeable synthetic membranes during in vitro dialysis.
Artif Organs. 2001 Dec;25(12):951-60. PubMed PMID: 11843762.
- Gloeckner H, **Lemke HD**.
New miniaturized hollow-fiber bioreactor for in vivo like cell culture, cell expansion, and production of cell-derived products.
Biotechnol Prog. 2001 Sep-Oct;17(5):828-31. PubMed PMID: 11587570.
- Gloeckner H, Jonuleit T, **Lemke HD**.
Monitoring of cell viability and cell growth in a hollow-fiber bioreactor by use of the dye Alamar Blue.

1991-2000

- Gerdemann A, **Lemke HD**, Nothdurft A, Heidland A, Münch G, Bahner U, Schinzel R.
Low-molecular but not high-molecular advanced glycation end products (AGEs) are removed by high-flux dialysis.
Clin Nephrol. 2000 Oct;54(4):276-83. PubMed PMID: 11076103.
- Jörres A, Gahl GM, Dobis C, Polenakovic MH, Cakalaroski K, Rutkowski B, Kisielnicka E, **Krieter DH**, Rumpf KW, Guenther C, Gaus W, Hoegel J.
Haemodialysis-membrane biocompatibility and mortality of patients with dialysis-dependent acute renal failure: a prospective randomised multicentre trial.
International Multicentre Study Group. Lancet. 1999 Oct 16;354(9187):1337-41. PubMed PMID: 10533862.
- Berner B, **Krieter DH**, Rumpf KW, Grunewald RW, Beuche W, Weber T, Müller GA.
Progressive multifocal leukoencephalopathy in a renal transplant patient diagnosed by JCV-specific DNA amplification and an intrathecal humoral immune response to recombinant virus protein 1. Nephrol Dial Transplant. 1999 Feb;14(2):462-5. PubMed PMID: 10069215.
- Fuchshuber A, Deltas CC, Berthold S, Stavrou C, Vollmer M, Burton C, Feest T, **Krieter DH**, Gal A, Brandis M, Pierides A, Hildebrandt F.
Autosomal dominant medullary cystic kidney disease: evidence of gene locus heterogeneity.
Nephrol Dial Transplant. 1998 Aug;13(8):1955-7. PubMed PMID: 9719147.
- **Krieter DH**, Grude M, **Lemke HD**, Fink E, Bönner G, Schölkens BA, Schulz E, Müller GA.
Anaphylactoid reactions during hemodialysis in sheep are ACE inhibitor dose-dependent and mediated by bradykinin.
Kidney Int. 1998 Apr;53(4):1026-35. PubMed PMID: 9551414.
- Kaboth U, Rumpf KW, Liersch T, Vehmeyer K, **Krieter DH**, Kaboth W.
Advantages of isovolemic large-volume erythrocytapheresis as a rapidly effective and long-lasting treatment modality for red blood cell depletion in patients with polycythemia vera.
Ther Apher. 1997 May;1(2):131-4. PubMed PMID: 10225758.
- Münch G, Keis R, Wessels A, Riederer P, Bahner U, Heidland A, Niwa T, **Lemke HD**, Schinzel R.
Determination of advanced glycation end products in serum by fluorescence spectroscopy and competitive ELISA.
Eur J Clin Chem Clin Biochem. 1997 Sep;35(9):669-77. PubMed PMID: 9352229.
- **Krieter DH**, Müller GA.
Cyclosporin in treatment of glomerular diseases.
Internist (Berl). 1996 Jan;37(1):84-8. Review. German. PubMed PMID: 8837833.
- **Krieter DH**, Müller GA.
Terminal kidney insufficiency in tuberous sclerosis
Dtsch Med Wochenschr. 1995 May 19;120(20):718-22. Review. German. PubMed PMID: 7758411.
- **Krieter DH**, Fink E, Bönner G, You HM, Eisenhauer T.
Anaphylactoid reactions during haemodialysis in sheep are associated with bradykinin release. Nephrol Dial Transplant. 1995;10(4):509-13. PubMed PMID: 7623993.
- Mannstadt M, Touam M, Fink E, Ureña P, Hruby M, Zingraff J, Uhlenbusch-Körwer I, Grassmann A, **Lemke HD**, Drüeke TB.
No generation of bradykinin with a new polyacrylonitrile membrane (SPAN) in haemodialysis patients treated with ACE inhibitors.
Nephrol Dial Transplant. 1995;10(9):1696-700. PubMed PMID: 8559491.
- **Krieter DH**, Rumpf KW, Müller GA, Werner GS.

Paradoxical cerebral embolism during fibrinolytic therapy in deep venous thrombosis of the leg and pulmonary embolism.

Dtsch Med Wochenschr. 1994 Jun 3;119(22):825. German. PubMed PMID: 8205947.

- Fink E, **Lemke HD**, Verresen L, Shimamoto K.
Kinin generation by hemodialysis membranes as a possible cause of anaphylactoid reactions.
Braz J Med Biol Res. 1994 Aug;27(8):1975-83. PubMed PMID: 7749389.
- Diamantoglou M, **Lemke HD**, Vienken J.
Cellulose-ester as membrane materials for hemodialysis.
Int J Artif Organs. 1994 Jul;17(7):385-91. PubMed PMID: 7806425.
- Verresen L, Fink E, **Lemke HD**, Vanrenterghem Y.
Bradykinin is a mediator of anaphylactoid reactions during hemodialysis with AN69 membranes. Kidney Int. 1994 May;45(5):1497-503. PubMed PMID: 8072263.

- Albanese A, Barbucci R, Belleville J, Bowry S, Eloy R, **Lemke HD**, Sabatini L.
In vitro biocompatibility evaluation of a heparinizable material (PUPA), based on polyurethane and poly(amido-amine) components.
Biomaterials. 1994 Jan;15(2):129-36. PubMed PMID: 8011859.
- **Lemke HD.**
Methods for the detection of endotoxins present during extracorporeal circulation.
Nephrol Dial Transplant. 1994;9 Suppl 2:90-5. PubMed PMID: 8065622.
- Cheung AK, **Lemke HD.**
Criteria and standardization for biocompatibility.
Nephrol Dial Transplant. 1994;9 Suppl 2:72-6. Review. PubMed PMID: 8065619.
- **Lemke HD**, Ward RA.
Methods for the assessment of neutrophil function during extracorporeal circulation.
Nephrol Dial Transplant. 1994;9 Suppl 2:104-11. Review. PubMed PMID: 8065599.
- **Lemke HD.**
Hypersensitivity reactions during haemodialysis: the choice of methods and assays.
Nephrol Dial Transplant. 1994;9 Suppl 2:120-5. Review. PubMed PMID: 7520556.
- Ansorge W, **Spindler E**, Vienken J, Baurmeister U.
Membranes and polymer structures--biocompatibility aspects with respect to production limits. Transfus Sci. 1993 Apr;14(2):199-209. PubMed PMID: 10148613.
- Norgauer J, Eberle M, **Lemke HD**, Aktories K.
Activation of human neutrophils by mastoparan. Reorganization of the cytoskeleton, formation of phosphatidylinositol 3,4,5-trisphosphate, secretion up-regulation of complement receptor type 3 and superoxide anion production are stimulated by mastoparan.
Biochem J. 1992 Mar 1;282 (Pt 2):393-7. PubMed PMID: 1312328; PubMed Central PMCID: PMC1130791.
- Norgauer J, Eberle M, Fay SP, **Lemke HD**, Sklar LA.
Kinetics of N-formyl peptide receptor up-regulation during stimulation in human neutrophils.
J Immunol. 1991 Feb 1;146(3):975-80. PubMed PMID: 1988505.

1981-1990

- **Lemke HD**, Heidland A, Schaefer RM.
Hypersensitivity reactions during haemodialysis: role of complement fragments and ethylene oxide antibodies.
Nephrol Dial Transplant. 1990;5(4):264-9. PubMed PMID: 2113222.

- Floege J, Burchert W, Brandis A, Gielow P, Nonnast-Daniel B, **Spindler E**, Hundeshagen H, Shaldon S, Koch KM.
Imaging of dialysis-related amyloid (AB-amyloid) deposits with 131I-beta 2-microglobulin.
Kidney Int. 1990 Dec;38(6):1169-76. PubMed PMID: 2074658.
- Horsch A, Martins de Sa C, Dineva B, **Spindler E**, Schmid HP.
Prosomes discriminate between mRNA of adenovirus-infected and uninfected HeLa cells.
FEBS Lett. 1989 Mar 27;246(1-2):131-6. PubMed PMID: 2565252.
- Floege J, Nonnast-Daniel B, Gielow P, Brandis A, **Spindler E**, Hundeshagen H, Koch KM, Shaldon S.
Specific imaging of dialysis-related amyloid deposits using 131I-beta-2-microglobulin.
Nephron. 1989;51(3):444-7. PubMed PMID: 2645537.
- Sproll MW, **Spindler E**, Anderer FA.
Monoclonal antibodies produced by in vitro immunization with sera of human-xenotransplant-bearing mice.
Immunol Lett. 1988 Jan;17(1):29-33. PubMed PMID: 3280477.
- **Lemke HD.**
Mediation of hypersensitivity reactions during hemodialysis by IgE antibodies against ethylene oxide.
Artif Organs. 1987 Apr;11(2):104-10. PubMed PMID: 3297007.
- **Lemke HD**, Kuentz F, Forêt M.
Mechanisms of hypersensitivity reactions during hemodialysis.
Trans Am Soc Artif Intern Organs. 1985;31:149-54. PubMed PMID: 3915615.
- Hollmann M, Staab HJ, **Spindler E**, Sproll M, Anderer FA, Fortmeyer HP.
Monoclonal antibody-defined circulating human tumor-associated antigen with epitope shared by cytokeratins.
Biochem Biophys Res Commun. 1985 Apr 16;128(1):34-9. PubMed PMID: 2580531.
- **Lemke HD**, Bergmeyer J, Straub J, Oesterhelt D.
Reversible inhibition of the proton pump bacteriorhodopsin by modification of tyrosine 64.
J Biol Chem. 1982 Aug 25;257(16):9384-8. PubMed PMID: 6286619.
- **Spindler E**, Stein H.
R-loop mapping of calf-thymus RNA polymerase II. Transcripts in vitro on restriction fragments of adenovirus 2 DNA.
Eur J Biochem. 1982 Jan;121(2):289-94. PubMed PMID: 6277622.
- **Lemke HD**, Oesterhelt D.
Lysine 216 is a binding site of the retinyl moiety in bacteriorhodopsin.
FEBS Lett. 1981 Jun 15;128(2):255-60. PubMed PMID: 6790303.
- Biessmann H, Kuger P, Schröpfer C, **Spindler E**.
Molecular cloning and preliminary characterization of a Drosophila melanogaster gene from a region adjacent to the centromeric beta-heterochromatin.
Chromosoma. 1981;82(4):493-503. PubMed PMID: 6790248.
- **Lemke HD**, Oesterhelt D.
The role of tyrosine residues in the function of bacteriorhodopsin. Specific nitration of tyrosine 26.
Eur J Biochem. 1981 Apr;115(3):595-604. PubMed PMID: 7016540.

1976-1980

- Brand J, **Spindler E**, Stein H.
The role of basic proteins in the DNA dependent RNA polymerase reaction. Evidence that RNA polymerase subunits are distinct from fraction S protein.
FEBS Lett. 1977 Aug 1;80(1):173-6. PubMed PMID: 891961.

- Liautard JP, Setyono B, **Spindler E**, Köhler K.
Comparison of proteins bound to the different functional classes of messenger RNA.
Biochim Biophys Acta. 1976 Apr 2;425(4):373-83. PubMed PMID: 1259977.